

Immune Responses to Allergens W. R. Thomas

Symposium Allergy Diagnosis Current and Future Perspective: Saturday, 8 December 2012: 03:45 PM - 05:30 PM, HICC, Hall 3

Molecular Characterization of Allergens

References for presentation

Quantitation of IgE needed and probability of wheeze

Simpson A, Soderstrom L, Ahlstedt S, Murray CS, Woodcock A, Custovic A. IgE antibody quantification and the probability of wheeze in preschool children. *J Allergy Clin Immunol* 2005; 116:744- 9

Marinho S, Simpson A, Marsden P, Smith JA, Custovic A. Quantification of atopy, lung function and airway hypersensitivity in adults. *Clinical and Translational Allergy*. 1(1):16, 2011.

Haahtela T, Jaakonmäki I. Relationship of allergen-specific IgE antibodies, skin prick tests and allergic disorders in unselected adolescents. *Allergy* 36(4):251-6, 1981. (antibody concentration for skin test threshold)

IgG titres to allergens

Jutel M, Jaeger L, Suck R, Meyer H, Fiebig H, Cromwell O. Allergen-specific immunotherapy with recombinant grass pollen allergens. *J Allergy Clin Immunol*. 2005 Sep;116(3):608-13.

Rossi RE, Monasterolo G. Evaluation of recombinant and native timothy pollen (rPhl p 1, 2, 5, 6, 7, 11, 12 and nPhl p 4)- specific IgG4 antibodies induced by subcutaneous immunotherapy with timothy pollen extract in allergic patients. *Int Arch Allergy Immunol*. 2004 Sep;135(1):44-53.

Platts-Mills T, Vaughan J, Squillace S, Woodfolk J, Sporik R. Sensitisation, asthma, and a modified Th2 response in children exposed to cat allergen: a population-based cross-sectional study. *Lancet*. 2001 Oct 10;357(9258):752-6.

Möbs C, Slotosch C, Löfller H, Jakob T, Hertl M, Pfützner W. Birch pollen immunotherapy leads to differential induction of regulatory T cells and delayed helper T cell immune deviation. *J Immunol*. 2010 Feb 15;184(4):2194-203.

Harfast B, van Hage-Hamsten M, Lilja G. IgG subclass antibody responses to birch pollen in sibling pairs discordant for atopy. *Pediatric Allergy & Immunology*. 9(4):208-14, 1998

Peng ZK, Naclerio RM, Norman PS, Adkinson NF Jr. Quantitative IgE- and IgG-subclass responses during and after long-term ragweed immunotherapy. *Journal of Allergy & Clinical Immunology*. 89(2):519-29, 1992

Krop EJ, Matsui EC, Sharow SD, Stone MJ, Gerber P, van der Zee JS, Chapman MD, Aalberse RC. Recombinant major urinary proteins of the mouse in specific IgE and IgG testing. *International Archives of Allergy & Immunology*. 144(4):296-304, 2007.

Wilson AB, Deighton J, Lachmann PJ, Ewan PW. A comparative study of IgG subclass antibodies in patients allergic to wasp or bee venom. *Allergy*. 49(4):272-80, 1994

Hales BJ, Martin AC, Pearce LJ, Laing IA, Hayden CM, Goldblatt J, Le Souef PN, Thomas WR. IgE and IgG anti-house dust mite specificities in allergic disease. *Journal of Allergy & Clinical Immunology*. 118(2):361-7, 2006

IgG titres to antigens (to compare with allergens)

Vance E, George S, Guinan EC, et al. Comparison of multiple immunization schedules for *Haemophilus influenzae* type b-conjugate and tetanus toxoid vaccines following bone marrow transplantation. [Journal Article] *Bone Marrow Transplantation*. 22(8):735-41, 1998

Conrad AJ, Chiang EY, Andeen LE, et al. Quantitation of intrathecal measles virus IgG antibody synthesis rate: subacute sclerosing panencephalitis and multiple sclerosis. *J Neuroimmunol*. 1994 Oct;54(1-2):99-108.

Spazierer D, Skvara H, Dawid M, et al. T helper 2 biased de novo immune response to Keyhole Limpet Hemocyanin in humans. *Clinical & Experimental Allergy*. 39(7):999-1008, 2009

Semenova VA, Steward-Clark E, Stamey KL, et al. Mass value assignment of total and subclass immunoglobulin G in a human standard anthrax reference serum. *Clinical & Diagnostic Laboratory Immunology*. 11(5):919-23, 2004 Sep.

Yerkovich ST, Hales BJ, Carroll ML, Burel JG, Towers MA, Smith DJ, Thomas WR, Upham JW. Reduced rhinovirus-specific antibodies are associated with acute exacerbations of chronic obstructive pulmonary disease requiring hospitalisation. *BMC Pulm Medicine*. 12:37, 2012,

Hales BJ, Chai LY, Elliot CE, Pearce LJ, Zhang G, Heinrich TK, Smith WA, Kusel MM, Holt PG, Sly PD, Thomas WR. Antibacterial antibody responses associated with the development of asthma in house dust mite-sensitised and non-sensitised children. *Thorax*. 67, 321-327, 2012

Hales BJ, Pearce LJ, Kusel MM, Holt PG, Sly PD, Thomas WR. Differences in the antibody response to a mucosal bacterial antigen between allergic and non-allergic subjects. *Thorax*. 2008 Mar;63(3):221-7

T-cell frequencies to allergens

Richards D, Chapman MD, Sasama J, Lee TH, Kemeny DM. Immune memory in CD4+ CD45RA+ T cells. *Immunology*. 1997 Jul;91(3):331-9.

Assing K, Nielsen CH, Poulsen LK. Immunological characteristics of subjects with asymptomatic skin sensitization to birch and grass pollen. *Clin Exp Allergy* 2006; 36:283–92

Ueno-Yamanouchi A, Khan FM, Serushago B, Bowen T, Lu C, Luider J, Storek J. Allergen-specific T cell quantity in blood is higher in allergic compared to nonallergic individuals. *Allergy, Asthma, & Clinical Immunology* 7(1):6, 2011.

Kwok WW, Roti M, Delong JH et al. Direct ex vivo analysis of allergen-specific CD41 T cells. *J Allergy Clin Immunol* 2010; 125:1407–9.

Fel d 1 tetramer staining about 0.01% and barely detectable for non-allergic

Van Overtvelt L, Wambre E, Maillere B et al. Assessment of Bet v 1-specific CD41 T cell responses in allergic and nonallergic individuals using MHC class II peptide tetramers. *J Immunol* 2008; 180: 4514–22.

Thomas WR. CD4 allergen tetramers. *Clin Exp Allergy*. 2011 41(6):769-72

Ford D, Burger D. Precursor frequency of antigen-specific T cells: effects of sensitization in vivo and in vitro. *Cell Immunol* 1983; 79:334–44.

Avanzini MA, Belloni C, Soncini R et al. Increment of recombinant hepatitis B surface antigen-specific T-cell precursors after revaccination of slow responder children. *Vaccine* 2001; 19:2819–24.

Associations of IgG and allergic disease

Hales BJ, Martin AC, Pearce LJ, Laing IA, Hayden CM, Goldblatt J, Le Souëf PN, Thomas WR. IgE and IgG anti-house dust mite specificities in allergic disease. *J Allergy Clin Immunol.* 2006 Aug;118(2):361-7.

Hales BJ, Martin AC, Pearce LJ, et al. Anti-bacterial IgE in the antibody responses of house dust mite allergic children convalescent from asthma exacerbation. *Clin Exp Allergy.* 2009 Aug;39(8):1170-8.

Custovic A, Soderstrom L, Ahlstedt S, Sly PD, Simpson A, Holt PG. Allergen-specific IgG antibody levels modify the relationship between allergen-specific IgE and wheezing in childhood. *Journal of Allergy & Clinical Immunology.* 127(6):1480-5, 2011

Kihlstrom A, Hedlin G, Pershagen G, et al. Immunoglobulin G4-antibodies to rBet v 1 and risk of sensitization and atopic disease in the child. *Clinical & Experimental Allergy.* 35(12):1542-9, 2005

Lai X, Li J, Xiao X, Liu E, Zhang C, Wang H, Gjesing B, Zhong N, Spangfort MD. Specific IgG4 Production during House Dust Mite Immunotherapy among Age, Gender and Allergic Disease Populations. *Int Arch Allergy Immunol.* 2012 Aug 31;160(1):37-46.

IgG1 vs IgG4 associated with allergy

Platts-Mills T, Vaughan J, Squillace S, Woodfolk J, Sporik R. Sensitisation, asthma, and a modified Th2 response in children exposed to cat allergen: a population-based cross-sectional study. *Lancet.* 2001 Oct;357(9258):752-6.

Hales BJ, Martin AC, Pearce LJ, Laing IA, Hayden CM, Goldblatt J, Le Souëf PN, Thomas WR. IgE and IgG anti-house dust mite specificities in allergic disease. *J Allergy Clin Immunol.* 2006 Aug;118(2):361-7.

Custovic A, Soderstrom L, Ahlstedt S, Sly PD, Simpson A, Holt PG. Allergen-specific IgG antibody levels modify the relationship between allergen-specific IgE and wheezing in childhood. *Journal of Allergy & Clinical Immunology.* 127(6):1480-5, 2011

Aalberse RC, Stapel SO, Schuurman J, Rispens T. Immunoglobulin G4: an odd antibody. *Clinical & Experimental Allergy.* 39(4):469-77, 2009

IgG other than IgG4 induced by immunotherapy

Ceuppens JL, Bullens D, Kleinjans H, van der Werf J, PURETHAL Birch Efficacy Study Group. Immunotherapy with a modified birch pollen extract in allergic rhinoconjunctivitis: clinical and immunological effects. *Clinical & Experimental Allergy.* 39(12):1903-9, 2009

Ciprandi G, De Amici M, Tosca MA, Pistorio A, Marseglia GL. Sublingual immunotherapy affects specific antibody and TGF-beta serum levels in

patients with allergic rhinitis. International Journal of Immunopathology & Pharmacology. 22(4):1089-96, 2009

Purohit A. Niederberger V. Kronqvist M. et al. Clinical effects of immunotherapy with genetically modified recombinant birch pollen Bet v 1 derivatives. Clinical & Experimental Allergy. 38(9):1514-25, 2008

IgG4 required to block CD23 facilitated antigen presentation

Nouri-Aria KT. Wachholz PA. Francis JN. Jacobson MR. Walker SM. Wilcock LK. Staple SQ. Aalberse RC. Till SJ. Durham SR. Grass pollen immunotherapy induces mucosal and peripheral IL-10 responses and blocking IgG activity. Journal of Immunology. 172(5):3252-9, 2004

Allergen interactions with innate immunity

Emara M. Royer PJ. Abbas Z. Sewell HF. Mohamed GG. Singh S. Peel S. Fox J. Shakib F. Martinez-Pomares L. Ghaemmaghami AM. Recognition of the major cat allergen Fel d 1 through the cysteine-rich domain of the mannose receptor determines its allergenicity Journal of Biological Chemistry. 286(15):13033-40, 2011

Trompette A, Divanovic S, Visintin A et al. Allergenicity resulting from functional mimicry of a Toll-like receptor complex protein. Nature 2009; 457:585-88.

Thomas WR. Hales BJ. Smith WA. House dust mite allergens in asthma and allergy. Trends in Molecular Medicine. 16(7):321-8, 2010

Shen HD, Tam MF, Tang RB, Chou H. Aspergillus and Penicillium allergens: focus on proteases. Curr Allergy Asthma Rep 2007; 7:351-6;

W.R. Thomas. Innate Affairs of Allergens Clin Exp Allergy DOI: 10.1111/j.1365-2222.2012.04059.x

Ruiter B, Shreffler WG. Innate immunostimulatory properties of allergens and their relevance to food allergy. Semin Immunopathol. 2012 Sep;34(5):617-32. 0334-8. Epub 2012 Aug 12.

Slide 17 Is milieu important may be not

Different allergens induce different cytokines

Oseroff C, Sidney J, Kotturi MF et al. Molecular determinants of T cell epitope recognition to the common Timothy grass allergen. J Immunol 2010; 185:943-55.

Oseroff C, Sidney J, Tripple V, et al. Analysis of T cell responses to the major allergens from German cockroach: epitope specificity and relationship to IgE production. *Journal of Immunology*. 189(2):679-88, 2012

Hales BJ, Shen H, Thomas WR. Cytokine responses to Der p 1 and Der p 7: house dust mite allergens with different IgE-binding activities. *Clinical & Experimental Allergy*. 30(7):934-43, 2000

Non-allergenic house mite antigen shows independent regulation

Epton MJ, Smith W, Hales BJ, Hazell L, Thompson PJ, Thomas WR. Non-allergenic antigen in allergic sensitization: responses to the mite ferritin heavy chain antigen by allergic and non-allergic subjects. *Clinical & Experimental Allergy*. 32(9):1341-7, 2002

House dust mite chitinase and chitin binding protein

Hales BJ, Elliot CE, Chai LY, Pearce LJ, Tipayanon T, Hazell LA, Stone S, Piboonpocanunb S, Thomas WR, Smith WA. Quantitation of IgE binding to the chitinase and chitinase-like house dust mite allergens Der p 15 and Der p 18 compared to the major and midrange allergens. *Int Arch Allergy Immunol*. 160(3):233-240, 2012

Measured IgE antibody titres to cat allergen

Worm M, Lee HH, Kleine-Tebbe J, Hafner RP, Laidler P, Healey D, Buhot C, Verhoef A, Mailliére B, Kay AB, Larché M. Development and preliminary clinical evaluation of a peptide immunotherapy vaccine for cat allergy. *J Allergy Clin Immunol*. 2011 Jan;127(1):89-97

Erwin EA, Custis NJ, Satinover SM, Perzanowski MS, Woodfolk JA, Crane J, Wickens K, Platts-Mills TA. Quantitative measurement of IgE antibodies to purified allergens using streptavidin linked to a high-capacity solid phase. *Journal of Allergy & Clinical Immunology*. 115(5):1029-35, 2005

Linden CC, Misiak RT, Wegienka G, Havstad S, Ownby DR, Johnson CC, Zoratti EM. Analysis of allergen specific IgE cut points to cat and dog in the Childhood Allergy Study. *Annals of Allergy, Asthma, & Immunology*. 106(2):153-158.e2, 2011

Gronlund H, Adedoyin J, Reininger R, Varga EM, Zach M, Fredriksson M, Kronqvist M, Szepfalusi Z, Spitzauer S, Gronneberg R, Valenta R, Hedlin G, van Hage M. Higher immunoglobulin E antibody levels to recombinant Fel d 1 in cat-allergic children with asthma compared with rhinoconjunctivitis. *Clinical & Experimental Allergy*. 38(8):1275-81, 2008

IgE responses to different house mite allergens and proportionality with responses to major allergens

Hales BJ, Martin AC, Pearce LJ, Laing IA, Hayden CM, Goldblatt J, Le Souëf PN, Thomas WR. IgE and IgG anti-house dust mite specificities in allergic disease. *J Allergy Clin Immunol.* 2006 Aug;118(2):361-7.

Weghofer M, Dall'Antonia Y, Grote M, Stocklinger A, Kneidinger M, Balic N, Krauth MT, Fernandez-Caldas E, Thomas WR, van Hage M, Vieths S, Spitzauer S, Horak F, Svergun DI, Konarev PV, Valent P, Thalhamer J, Keller W, Valenta R, Vrtala S. Characterization of Der p 21, a new important allergen derived from the gut of house dust mites. *Allergy.* 63(6):758-67, 2008

Thomas WR, Hales BJ, Smith WA. House dust mite allergens in asthma and allergy. *Trends in Molecular Medicine.* 16(7):321-8, 2010

Thomas WR. House dust allergy and immunotherapy. *Hum Vaccin Immunother.* 2012 Oct 1;8(10).

Non-Fel d 1 cat allergens

Löwenstein H, Lind P, Weeke B. Identification and clinical significance of allergenic molecules of cat origin. Part of the DAS 76 Study. *Allergy.* 1985 Aug;40(6):430-41.

Smith W, Butler AJ, Hazell LA, Chapman MD, Pomés A, Nickels DG, Thomas WR. Fel d 4, a cat lipocalin allergen. *Clin Exp Allergy.* 2004 34(11):1732-8.

Smith W, O'Neil SE, Hales BJ, Chai TL, Hazell LA, Tanyaratsrisakul S, Piboonpocanum S, Thomas WR. Two newly identified cat allergens: the von Ebner gland protein Fel d 7 and the latherin-like protein Fel d 8. *International Archives of Allergy & Immunology.* 156(2):159-70, 2011.

